



PRODUCT INFORMATION



The ink series is a modern all-round series designed for a wide range of applications. It is mineral oil-free, not duct fresh and formulated based on renewable raw materials.

This ink series fulfils following criteria:


- Cobalt-free
- Suitable for absorbent substrates
- Recommended for matt-coated paper
- Superb printability and runability
- Superb rub resistance
- Medium setting
- Superb ink/water balance
- Very low misting tendency
- Suitable for IPA-free printing
- Not recommended for printing on food packaging

NORMS

- Conforms to the requirements of ISO 2846 and ISO 12647-2 and achieves a neutral grey balance with corresponding tonal range
- Suitable for manufacturing toys in accordance with the general chemical safety requirements in Annex II of the Toy Safety Directive 2009/48/EC and the migration limits specified in the standard EN 71-3

ECO BOARD

PROPERTIES



FASTNESSES

		Item No.	Light	Transp	Spirit	Nitro	Alkali
Eco Board	Y	20-2705	5	+	+	+	+
Eco Board	М	20-2706	5	+	+	+	-
Eco Board	С	20-2707	8	+	+	+	+
Eco Board	В	20-2709	8	-	+	+	+
			+ pro	perty given		- propert	y not given

PRINTING ADDITIVES

Additives	Item No.	Dosage	
Extrafit Ink Reducer	071	max. 5 %	
Extrafit Ink Gel	348	max. 5 %	
Extrafit Ink Dryer	2001	max. 5 %	

ECO BOARD

STORAGE

- Protect from frost, heat and direct sunlight
- Store only in original containers at 10-30°C / 50-77°F
- Unopened and correctly stored, the inks have a shelf life of 24 months from the date of delivery

Note: This technical description is intended to inform and advise you. It corresponds to our current state of knowledge. However, since the specific application depends on a number of factors over which we have no influence, no guarantee and liability for the pressure failure can be derived.