
PRODUCT INFORMATION



Selection Pro

The ink series is a modern all-round series designed for a wide range of applications. It is mineral oil-free, duct fresh and formulated based on renewable raw materials.


This ink series fulfils following criteria:

- Cobalt-free
- Suitable for all types of perfecting machines
- High colour intensity
- Suitable for absorbent substrates
- Superb printability and runability
- Very good rub resistance
- Medium setting
- Superb ink/water balance
- Low misting tendency
- Suitable for IPA-free printing
- Not recommended for printing on food packaging

NORMS

Conforms to the requirements of ISO 2846 and ISO 12647-2 and achieves a neutral grey balance with corresponding tonal range

PROPERTIES



FASTNESSES

| | | Item No. | Light | Transp | Spirit | Nitro | Alkali |
|---------------|---|----------|-------|--------|--------|-------|--------|
| Selection Pro | Y | 101605 | 5 | + | + | + | + |
| Selection Pro | M | 101606 | 5 | + | + | + | - |
| Selection Pro | C | 101607 | 8 | + | + | + | + |
| Selection Pro | B | 52749 | 8 | - | + | + | + |

+ property given

- property not given

PRINTING ADDITIVES

| Additives | Item No. | Dosage |
|----------------------|----------|----------|
| Extrafit Ink Reducer | 071 | max. 5 % |
| Extrafit Ink Gel | 348 | max. 5 % |
| Extrafit Ink Dryer | 2001 | max. 5 % |

STORAGE

- Protect from frost, heat and direct sunlight
- Store only in original containers at 10-30°C / 50-77°F
- Unopened and correctly stored, the inks have a shelf life of 24 months from the date of delivery

Note: This technical description is intended to inform and advise you. It corresponds to our current state of knowledge. However, since the specific application depends on a number of factors over which we have no influence, no guarantee and liability for the pressure failure can be derived.