

---

**PRODUCT INFORMATION**

---



## Supreme Protect

This ink series is a modern series designed to achieve an excellent rub resistance on critical substrates. It is mineral oil-free, semi-duct fresh and formulated based on renewable raw materials.

This ink series fulfils following criteria:

- Cobalt-free
- Suitable for all types of perfecting machines
- Superb printability and runability
- Superb rub resistance
- Very good slip and glide properties
- Medium setting
- Superb ink/water balance
- Very low misting tendency
- Fast post processing
- Not recommended for printing on food packaging


---

**NORMS**

---

Conforms to the requirements of ISO 2846 and ISO 12647-2 and achieves a neutral grey balance with corresponding tonal range

## PROPERTIES



## FASTNESSES

		Item No.	Light	Transp	Spirit	Nitro	Alkali
Supreme Protect	Y	135205	5	+	+	+	+
Supreme Protect	M	135206	5	+	+	+	-
Supreme Protect	C	135207	8	+	+	+	+
Supreme Protect	B	135208	8	-	+	+	+

+ property given      - property not given

## PRINTING ADDITIVES

Additives	Item No.	Dosage
Extrafit Ink Reducer	071	max. 5 %
Extrafit Ink Gel	348	max. 5 %
Extrafit Ink Dryer	2001	max. 5 %

---

## STORAGE

---

- Protect from frost, heat and direct sunlight
- Store only in original containers at 10-30°C / 50-77°F
- Unopened and correctly stored, the inks have a shelf life of 24 months from the date of delivery

Note: This technical description is intended to inform and advise you. It corresponds to our current state of knowledge. However, since the specific application depends on a number of factors over which we have no influence, no guarantee and liability for the pressure failure can be derived.